

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18	((updat\$3 or modif\$6 or chang\$3) with (unfilter\$3 near4 (source\$1 or (index near2 tree) or trie or hierachical or table\$1))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 15:19
L2	15	1 and (@ad<"20010426" or @rlad<"20010426")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:21
L3	4	filter\$3 same (reciev\$3 with (external near2 (data or record\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:17
L4	4	3 and (@ad<"20010426" or @rlad<"20010426")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:17
L5	4	filter\$3 same (reciev\$3 with (external near2 (source\$1 or database\$1 or data or record\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:18
L6	4	filter\$3 same (reciev\$3 with ((external or outside or nonresidential) near2 (source\$1 or database\$1 or data or record\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:18
L7	4	(filter\$3 or sort\$) same (reciev\$3 with ((external or outside or nonresidential) near2 (source\$1 or database\$1 or data or record\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:19

## EAST Search History

L8	4	(filter\$3 or sort\$3 or quer\$3) same (reciev\$3 with ((external or outside or nonresidential) near2 (source\$1 or database\$1 or data or record\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:19
L9	4	(filter\$3 or sort\$3 or quer\$3) same (reciev\$3 with ((external or outside or nonresidential) near2 (source\$1 or database\$1 or data or record\$1 or device\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:19
L10	4	(filter\$3 or sort\$3 or quer\$3) same (reciev\$3 with ((external or outside or (non near2 (local o residential))) near2 (source\$1 or database\$1 or data or record\$1 or device\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:20
L11	209	(filter\$3 or sort\$3 or quer\$3) same ((reciev\$3 or import\$3) with ((external or outside or (non near2 (local o residential))) near2 (source\$1 or database\$1 or data or record\$1 or device\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:21
L12	5	(filter\$3 or sort\$3 or quer\$3) same (reciev\$3 with ((external or outside or (non near2 (local o residential))) with (source\$1 or database\$1 or data or record\$1 or device\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:24
L13	5	12 and (@ad<"20010426" or @rlad<"20010426")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:22
L14	85	11 and (@ad<"20010426" or @rlad<"20010426")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:37

## EAST Search History

L15	23	14 and ("707"/\$.ccls. or "715"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:37
L16	24590	(filter\$3 or sort\$3 or quer\$3) with ((external or outside or (non near2 (local or residential))) with (source\$1 or database\$1 or data or record\$1 or device\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:25
L17	12280	(filter\$3 or sort\$3 or quer\$3) with ((external or outside) near4 (source\$1 or database\$1 or data or record\$1 or device\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:26
L18	10357	(filter\$3 or sort\$3) with ((external or outside) near4 (source\$1 or database\$1 or data or record\$1 or device\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:28
L19	6032	18 and (@ad<"20010426" or @rlad<"20010426")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:26
L20	10257	(filter\$3 or sort\$3) with ((external or outside) near4 (source\$1 or data or record\$1 or device\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:36
L21	45	(filter\$3 or sort\$3) with ((external or outside) near4 (source\$1 or data or record\$1 or device\$1)) same ((tranform\$5 or translat\$3 or convert\$5) with format\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:36

## EAST Search History

L22	2322289	"31" and (@ad<"20010426" or @rlad<"20010426")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:37
L23	32	21 and (@ad<"20010426" or @rlad<"20010426")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:37
L24	7	23 and ("707"/\$.ccls. or "715"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:37

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time-Stamp
L1	18	((updat\$3 or modif\$6 or chang\$3) with (unfilter\$3 near4 (source\$1 or (index near2 tree) or trie or hierachical or table\$1))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 15:19
L2	15	1 and (@ad<"20010426" or @rlad<"20010426")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:21
L3	4	filter\$3 same (reciev\$3 with (external near2 (data or record\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:17
L4	4	3 and (@ad<"20010426" or @rlad<"20010426")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:17
L5	4	filter\$3 same (reciev\$3 with (external near2 (source\$1 or database\$1 or data or record\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:18
L6	4	filter\$3 same (reciev\$3 with ((external or outside or nonresidential) near2 (source\$1 or database\$1 or data or record\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:18
L7	4	(filter\$3 or sort\$) same (reciev\$3 with ((external or outside or nonresidential) near2 (source\$1 or database\$1 or data or record\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:19

## EAST Search History

L8	4	(filter\$3 or sort\$3 or quer\$3) same (reciev\$3 with ((external or outside or nonresidential) near2 (source\$1 or database\$1 or data or record\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:19
L9	4	(filter\$3 or sort\$3 or quer\$3) same (reciev\$3 with ((external or outside or nonresidential) near2 (source\$1 or database\$1 or data or record\$1 or device\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:19
L10	4	(filter\$3 or sort\$3 or quer\$3) same (reciev\$3 with ((external or outside or (non near2 (local o residential))) near2 (source\$1 or database\$1 or data or record\$1 or device\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:20
L11	209	(filter\$3 or sort\$3 or quer\$3) same ((reciev\$3 or import\$3) with ((external or outside or (non near2 (local o residential))) near2 (source\$1 or database\$1 or data or record\$1 or device\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:21
L12	5	(filter\$3 or sort\$3 or quer\$3) same (reciev\$3 with ((external or outside or (non near2 (local o residential))) with (source\$1 or database\$1 or data or record\$1 or device\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:24
L13	5	12 and (@ad<"20010426" or @rlad<"20010426")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:22
L14	85	11 and (@ad<"20010426" or @rlad<"20010426")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:37

## EAST Search History

L15	23	14 and ("707"/\$.ccls. or "715"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:37
L16	24590	(filter\$3 or sort\$3 or quer\$3) with ((external or outside or (non near2 (local or residential))) with (source\$1 or database\$1 or data or record\$1 or device\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:25
L17	12280	(filter\$3 or sort\$3 or quer\$3) with ((external or outside) near4 (source\$1 or database\$1 or data or record\$1 or device\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:26
L18	10357	(filter\$3 or sort\$3) with ((external or outside) near4 (source\$1 or database\$1 or data or record\$1 or device\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:28
L19	6032	18 and (@ad<"20010426" or @rlad<"20010426")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:26
L20	10257	(filter\$3 or sort\$3) with ((external or outside) near4 (source\$1 or data or record\$1 or device\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:36
L21	45	(filter\$3 or sort\$3) with ((external or outside) near4 (source\$1 or data or record\$1 or device\$1)) same ((transform\$5 or translat\$3 or convert\$5) with format\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:36

## EAST Search History

L22	2322289	"31" and (@ad<"20010426" or @rlad<"20010426")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:37
L23	32	21 and (@ad<"20010426" or @rlad<"20010426")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:37
L24	7	23 and ("707"/\$.ccls. or "715"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 17:37